


interserv
Sales

C6/156/2
Recessed
SKIRTING



CAT 6 CAPABLE
SKIRTING
TRUNKING PROFILE
CAT6/156/2
Recessed



INTERSERV SALES - P. O. Box 71101, Rosebank, Auckland 1348
Freephone: 0800-828 914. Fax: 09-828 9147
email: sales@interserv.co.nz
www.interserv.co.nz




FREIGHT FREE
DELIVERY
NATIONWIDE

**CAT 6 CAPABLE
SKIRTING TRUNKING PROFILE
C6/156/2 Recessed**

Trunking accepts Standard Power and Data fittings in both channels.




Internal Corners
156.2306
115x115x156



External Corners
156.2316




**External Corner
- Covers Only (set)**
156.2326



Commonly requested factory fabricated components shown, custom fabricated units also available.

**Flat T Intersection
Data left**
156.2506


**Flat T Intersection
Data right**
156.2516
300x256



**Flat Bend
Data Internal
Includes PVC Rider**
156.2406

**Flat Bend
Data External**
156.2416
250x250

C6/156/2 Recessed SKIRTING




**Power and Data
Fixing Plates**
Upper power channel - 70.0040 (pair)
Lower data channel - 70.0040 (pair)

Joining Pieces - rivet or screw fix
Supplied in pairs - 156.2106
(unique to the C6/156/2 Profile)



Profile Lengths includes Covers
3m - 156.2136
6m - 156.2166




Column Units
Site dimensions required.
Corner cover pieces included.
Two Sides - 156.2626
Three Sides - 156.2636
Four Sides, fabricated in two parts
includes Joiners and provision for
dropper feeds - 156.2646
(see *Column Surrounds Page 81*)

**CAT 6 CAPABLE
SKIRTING TRUNKING PROFILE
C6/156/2 Recessed**


Profile Lengths includes Covers
3m - 156.2136
6m - 156.2166




**Internal
Corners** 156.2306
**External
Corners** 156.2316
**External Corner
- Covers Only** 156.2326



**Flat T Intersection
Data left** 156.2506
**Flat T Intersection
Data right** 156.2516




**Flat Bend
Data External** 156.2416
**Flat Bend
Data Internal
Includes PVC Rider** 156.2406



Joining Pieces
Rivet or screw fix
Supplied in pairs
156.2106

Power and Data Fixing Plates
Upper power channel - 70.0040
Lower data channel - 70.0040
Supplied in pairs



Column Units
Site dimensions required.
Corner cover pieces included.
Two Sides - 156.2626
Three Sides - 156.2636
Four Sides, fabricated in two parts, includes
Joiners and provision for dropper feeds - 156.2646
(see Column Surrounds Page 81)

